The Gazette



of **Endia**

EXTRAORDINARY

PART II—Section 3—Sub-section (ii)

PUBLISHED BY AUTHORITY

No. 322]

NEW DELHI, SATURDAY, OCTOBER 20, 1962/ASVINA 28, 1884

MINISTRY OF MINES & FUEL

NOTIFICATIONS

New Delhi, the 20th October 1962.

S.O. 3197.—In pursuance of clause 4 of the Colliery Control Order. 1945, as continued in force by section 16 of the Essential Commodities Act, 1955, (10 of 1955) and in supersession of the notification of the Government of India in the Ministry of Mines and Fuel Noi S.O. 1717, dated the 1st June, 1962, the Central Government hereby fixes the following prices at which coal or coke may be sold by colliery owners:—

TABLE I.—Collieries situated within the States of West Bengal and Bihar.

Table I(A).—Non-Coking coal of Selected Grade A, Selected Grade B and Grade I.

0 - 1	Price per ton c	of 2240 pounds	Price per tonne of	1,000 kilograms
Grade of coal,	Run-of-mine, Dust coal and Slack coal.	Steam coal, Rubble and Smithy nuts,	Run-of-mine, Dust Coal and Slack coal,	Steam coal Rubble and Smithy nuts.
	Rs nP.	Rs. nP	Rs. nP	Rs. nP.
Selected Grade A	23-71	24.78	23.34	24.39
Selected Grade B	22.21	23.28	21.86	22.91
Grade I	21.09	22.15	20.76	21.80

Grade of coal		Price per ton o	f 2240 pounds	Price per tonne	of 1,000 kilogram	
Grade of c	Oaj		Run-of-mine, Dust coal and Slack coal	Steam coal Rubble and Smithy nuts	Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts
			Rs. nP.	Rs. nP.	Rs nP.	Rs.] nP.
Grade II.			Not exceeding	Not exceeding 20.66	Not exceeding 19·28	Not exceeding 20.33
Grade IIIA	٠,		Not exceeding 18.09	Not exceeding 19.09	Not exceeding 17.80	Not exceeding 18.79
Grade IIIB	•	•	Not exceeding 16-90	Not exceeding	Not exceeding 16.63	Not exceeding 17.62

TABLE I(C)—Coking coal of Grade A to Grade H.

	Grade of coal			Ī	Price per ton of	2240 pounds	Price per tonne of 1,000 kilograms			
					Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts.	Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts		
					Rs. nP.	Re. nP.	Rs. nP.	Rs. nP.		
A					26.86	27.91	26.44	27.47		
В					25.86	26.91	25.45	26.48		
С					24.86	25.91	24-47	25.50		
D					z3·36	24.41	22.99	24.03		
E					22.86	23.91	22-50	23.53		
F					22-11	23.16	21.76	22.79		
G					21.61	22.66	21.27	22.30		
H			٠		21.36	22.41	21.02	22.06		

TABLE I(D)—Coking coal of Grade HH

Grade of coal		Price per ton	of 2240 pounds	Price per tonne of 1,000 kilograms				
			Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts	Run-of-mine, Dust coal and Slack coal	Steam coal, Rubble and Smithy nuts		
		 		Rs. nP.	Rs. nP.	Rs. nP.		Rs. nP.
НН				Not exceeding 19.61	Not exceeding 20.66	Not exceeding 19.30	Not	exceeding 20.33

TABLE I(B)—Washed	coking coal.	
P	rice per ton o 2240 pounds	f Price per tonne of 1,000 kgs.
	Rs. nP.	Rs. nP.
Vashed coking coal (i.e. coal other than middlings) from the Lodna coal washery of Messrs Lodna Colliery Company (1920) Ltd. conforming to Grade C	28.92	28·4 6
NOTE I.—For the purposes of the above Tables, s follows:—	the grade of any	coal shall be determine
I.—Non-coking coal.		
(a) High moisture coals.		
If the ash and moisture content thereof —		
(i) does not exceed 17.5 per cent		. Selected Grade A.
(ii) exceeds 17.5 per cent but does not exce	ed 19 per cent	Selected Grade B.
(iii) exceeds 19 per cent but does not exceed	• -	Grade I.
(iv) exceeds 24 per cent but does not exceed	l 28 per cent.	Grade II.
All analysis of high moisture coals will be carried under the conditions given below for 48 hours:—	out on—72 mesh	samples after equilibrat
Atmospheric temperature		· 40°c ± 2°C
Relative humidity		. 60 per cent ± 2 j
(b) Low moisture coals.		
If the ash content thereof.—		
(i) does not exceed 15 per cent.	, , ,	. Selected Grade A.
(ii) exceeds 15 per cent but does not exceed	17 per cent.	Selected Grade B.
(iii) exceeds 17 per cent but does not exceed	l 20 per cent	. Grade I.
(iv) exceeds 20 per cent but does not exceed	24 per cent	Grade II.
(v) exceeds 24 per cent but does not exceed	28 per cent	. Grade IIIA,
(vi) exceeds 28 per cent but does not exceed		
(at) exceeds 20 per cent but does not exceed	i 35 per cent	. Grade IIIB.
II.—Coking coal.	1 35 per cent	. Grade IIIB.
	1 35 per cent	. Grade IIIB.
II.—Coking coal. If the ash content thereof—	1 35 per cent	. Grade IIIB,
II.—Coking coal.		
II.—Coking coal. If the ash content thereof— (i) does not exceed 13 per cent.	d 14 per cent	. Grade A
II.—Coking coal. If the ash content thereof— (i) does not exceed 13 per cent . (ii) exceeds 13 per cent but does not excee	d 14 per cent	. Grade A . Grade B
II.—Coking coal. If the ash content thereof— (i) does not exceed 13 per cent. (ii) exceeds 13 per cent but does not exceed (iii) exceeds 14 per cent but does not exceed (iv) exceeds 15 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (v) exceeds 17 per cent but does not exceed (v) exceeds 18 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds 19 per cent but does not exceed (v) exceeds (v) exceed (v) exceeds (v) exceed (v) e	d 14 per cent d 15 per cent d 16 per cent d 17 per cent	. Grade A . Grade B . Grade C
II.—Coking coal. If the ash content thereof— (i) does not exceed 13 per cent. (ii) exceeds 13 per cent but does not exceed (iii) exceeds 14 per cent but does not exceed (iv) exceeds 15 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 18 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds (vi) exceeds (vi) exceeds (vi) exceeds (vi) exceeds (vi) exceed (vi) exceeds (vi) exceed (vi) exceeds (vi) exceed (vii) exceed (vi) exceed (vii) exceed (vi) exceed (vi) exceed (vi) exceed	d 14 per cent d 15 per cent d 16 per cent d 17 per cent d 18 per cent	. Grade A . Grade B . Grade C . Grade D
II.—Coking coal. If the ash content thereof— (i) does not exceed 13 per cent. (ii) exceeds 13 per cent but does not exceed (iii) exceeds 14 per cent but does not exceed (iv) exceeds 15 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vii) exceeds 18 per cent but does not exceed (vii) exceeds 18 per cent but does not exceed (vii) exceeds 18 per cent but does not exceed (viii) exceeds 18 per cent but does not exceed (viii) exceeds 18 per cent but does not exceed (viii) exceeds 18 per cent but does not exceed (viii) exceeds 18 per cent but does not exceed (viii) exceeds 18 per cent but does not exceed (viii) exceeds 18 per cent but does not exceed (viii) exceeds 18 per cent but does not exceed (viii) exceeds 18 per cent but does not exceed (viiii) exceeds 18 per cent but does not exceed (viiiii) exceeds 18 per cent but does not exceed (viiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	d 14 per cent d 15 per cent d 16 per cent d 17 per cent d 18 per cent	. Grade A . Grade B . Grade C . Grade D . Grade E
II.—Coking coal. If the ash content thereof— (i) does not exceed 13 per cent. (ii) exceeds 13 per cent but does not exceed (iii) exceeds 14 per cent but does not exceed (iv) exceeds 15 per cent but does not exceed (v) exceeds 16 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 17 per cent but does not exceed (vi) exceeds 18 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exceeds 19 per cent but does not exceed (vi) exce	d 14 per cent d 15 per cent d 16 per cent d 17 per cent d 18 per cent 19 per cent	. Grade A . Grade B . Grade C . Grade D . Grade E . Grade F

NOTE 2.—The expressions 'Low moisture coals' and 'high moisture coals' mean respectively coals containing moisture not exceeding 2 per cent, and coals containing more than 2 per cent moisture.

Note 3.—The expression 'coking coal' means all coal which is classified as such by the Coal Board constituted under the Coal Mines (Conservation and Safety) Act, 1952 (12 of 1952).

Note 4.—The price at which all coal produced in the Bagrakote, East Bagrakote, Lethi Vally and Fagu collieries may be sold shall be Rs. 30.67 per ton of 2,240 lbs. (Rs. 30.19 per tonne of 1,000 kg.). This price shall be f.o.r. Bagrakote in the case of the Bagrakote and East Bagrakote collieries, f.o.r. Oodlabarı, and Damdim, North East Frontier Railway in the case of the Lethi Valley Colliery and f.o.r. Oodlabari, North East Frontier Railway in the case of the Fagu colliery.

TABLE I(r)—Soft Coke

Grade of coke	Price per ton of 2240 pounds	Price per tonne of 1,000 kilograms
Soft-Coke—not exceeding 45 per cent ash content	Rs. nP. 29·87	Rs. nP. 29·40
Note.—The prices given under Tables $I(a)$, $I(b)$ free on rail at or at the loading point nearest to tat the colliery.), $I(c)$, $I(d)$, $I(e)$ and I the colliery, or free on t	(f) are for delivery ramway or road vehicle

TABLE II.—Collieries situated within the States of Madhya Pradesh, Orissa, Maharashtra and Gujarat

Price per ton of 2240 Price per tonne of 1,000

Grade of coal								pounds			kilograms	
Gr	ace o	I COHI					•	Run-of- mine, Dust coal & Slack coal	Steam coal, Rubble and Smithy nuts	Run-of- mine, Dust coal and ar Slack coal	Steam coal, Rubble ad Smithy nuts	
						_		Rs. nP.	. Rs. nP.	Rs. nP.	Rs. nP	
Selected Gr	ade						,	24.69	25.69	24.30	25.28	
Grade I								23.69	24.69	23.32	24.30	
Grade II							•	22.57	23-57	22.21	23.20	
Grade III	•	•			-	•	•	21.59	22.59	21.25	22.23	
												

NOTE I.—

For the purposes of the above Table, the grade of any coal shall be determined as follows:—

If the ash and moisture content thereof—

(i) does not exceed 19 per cent.—.	Selected Grade
(ii) exceeds 19 per cent but does not exceed 24 per cent	Grade I
(iii) exceeds 24 per cent but does not exceed 28 per cent	Grade II
(iv) exceeds 28 per cent but does not exceed 35 per cent	Grade III

All analysis of high moisture coals will be carried out on —72 mesh samples after equilibrating under the conditions given below for 48 hours:—

Thangjinath mine . . .

Note 2.—The prices given under Table II above are for delivery free on rail at or a_t the loading point nearest to the colliery or free on tramway or road vehicle at the colliery.

TABLE III -Collierie	situated	within the	State	of	Assam.
----------------------	----------	------------	-------	----	--------

Nazira Coal Company Limited, Borgan Run Dilli Colliery of Dilli Colliery Company Run Jeypore Colliery Run Koilajan Colliery Run Bimalapore Colliery Run Run Note 1.—The prices given under Table III the colliery in the case of the Margherita coll Trading Company Limited and for delivery from the case of the other collieries. Note 2.—In the case of sales on f.o.t. basis Limited and the Dilli, Bimalapore, Jeypore and Table III, above, the f.o.t. prices shall be definentioned against each in Table III, above, the Nazira Coal Company Limited, Borgan Accolliery of Bimalapore collieries (Private) Limited and Jeypore Colliery.	it coal I picked coal d Coke 1-of-mine 1-of-mine -of-mine -of-mine -of-mine -of-mine -of-mine	Assam Rail	lways and
Nazira Coal Company Limited, Borgan Run Dilli Colliery of Dilli Colliery Company	a-of-mine a-of-mine a-of-mine a-of-mine are for delifieries of the	26·54 26·54 26·54 26·81 26·54 very free Assam Rail	26·12 26·12 26·12 26·39 26·12 on 1ail a
Dilli Colliery of Dilli Colliery Company Run Run Run Run Run Run Run R	-of-mine -of-mine -of-mine , are for delirieries of the	26·54 26·54 26·54 26·54 very free Assam Rail	26·12 26·39 26·12 on 1ail a
Note 1.—The prices given under Table III the colliery in the case of the Margherita coll Trading Company Limited and for delivery fr in the case of the other collieries. Note 2.—In the case of sales on f.o.r. basis Limited and the Dilli, Bimalapore, Jeypore and Table III, above, the f.o.r. prices shall be definentioned against each in Table III, above, the Nazira Coal Company Limited, Borgan Dilli Colliery of Dilli Colliery Company, Bimalapore (Colliery of Bimalopore collieries (Private) Limited and Jeypore Colliery. Koilajan Colliery Table IV.—Collieries situated within the territor in the State of Assam.	-of-mine -of-mine , are for deli	26.81 26.54 very free Assam Rail	26·39 26·12 on 1ail a
Note 1.—The prices given under Table III the colliery in the case of the Margherita coll Trading Company Limited and for delivery fr in the case of the other collieries. Note 2.—In the case of sales on f.o.r. basis Limited and the Dilli, Bimalapore, Jeypore and Table III, above, the f.o.r. prices shall be definentioned against each in Table III, above, the Nazira Coal Company Limited, Borgan Dilli Colliery of Dilli Colliery Company, Bimalapore colliery of Bimalopore collieries (Private) Limited and Jeypore Colliery. Koilajan Colliery Table IV.—Collieries situated within the territor in the State of Assam.	of-mine, are for deli-	26·54 very free Assam Rail	on tail a
Note 1.—The prices given under Table III the colliery in the case of the Margherita coll Trading Company Limited and for delivery fr in the case of the other collieries. Note 2.—In the case of sales on f.o.r. basis Limited and the Dilli, Bimalapore, Jeypore and Table III, above, the f.o.r. prices shall be definentioned against each in Table III, above, the Nazira Coal Company Limited, Borgan Dilli Colliery of Dilli Colliery Company, Bimalapore (Colliery of Bimalopore collieries (Private) Limited and Jeypore Colliery. Koilajan Colliery Table IV.—Collieries situated within the territor in the State of Assam.	, are for deli-	very free Assam Rail	on tail a
the colliery in the case of the Margherita coll Trading Company Limited and for delivery fr in the case of the other collieries. Note 2.—In the case of sales on f.o.r. basis Limited and the Dilli, Bimalapore, Jeypore an Table III, above, the f.o.r. prices shall be dementioned against each in Table III, above, the Nazira Coal Company Limited, Borgan Dilli Colliery of Dilli Colliery Company, Bimalapore colliery of Bimalapore collieries (Private) Limited and Jeypore Colliery. Koilajan Colliery Table IV.—Collieries situated within the territor in the State of Assam.	ieries of the .	Assam Rail	lways and
mentioned against each in Table III, above, the Nazira Coal Company Limited, Borgan Dilli Colliery of Dilli Colliery Company, Bimalapore colliery of Bimalopore collieries (Private) Limited and Jeypore Colliery. Koilajan Colliery TABLE IV.—Collieries situated within the territor in the State of Assam.	by the Na	zira Coal	Company
Dilli Colliery of Dilli Colliery Company, Bimalapore Colliery of Bimalopore collieries (Private) Limited and Jeypore Colliery. Koilajan Colliery	d Koilajan co ermined by following amo	llieries me adding to ounts name	ntioned in the price: ly;—
colliery of Bimalopore collieries (Private) Limited and Jeypore Colliery. Koilajan Colliery	sum of Rs. 5/- (Rs. 4.92 per 1	per ton of tonne of 1,00	2240 pond o kilogram
TABLE IV.—Collieries situated within the territor in the State of Assam.	sum calculated per ton of 224 (31 nP. per ton kilometre) of the pit-head and re	o pounds fo ne of 1,000 k he distance l	or each mi ilograms pe
in the State of Assam.	sum of calculate ton of 2240 p nP, per tonne kilometre) of the pit-head and the	ounds for ca of 1,000 ki he distance l	ach mile (4 ilograms pe
(1) I sittemore mine of Cherra Chattak Ronaway (ies formerly, kno	wn as Khasi	States
(1) Lateryingew infine of Cheffa Chattak Ropeway	Company and Th	nanginath mi	ne.
Name of colliery Ty	me of coal to	n of 2240	Price par tonne of 1,000 kgms.
		Rs. nP.	Rs. mP

. Run-of-mine coal

15.07

14.83

(2) α	4nv	other	colliery
----------------	-----	-------	----------

Type of coal				Price per ton of 2240 pounds.	Price per tonne of 1,000 kilograms.
	 		 	 Rs. nP.	Rs. nP.
Lump coal		-		18.35	18.06
Run-of-mine coal				13.10	12.89
Coke				34.21	33.67

Note:—The prices given under Table IV are ex-pst-head

TABLE V.—Collieries situated within the State of Andhra Pradesh
(1) Singarem Group of Collieries (Except Yellendu).

Type of coal	Price per ton of 2240 pounds.	Price per tonne 1,000 kilograms.
	Rs. nP.	Rs. nP.
Round coal	. 22.84	28.38
Separator Nut coal 1'-2" (25.4 millimetres- 50.8 millimetres)	. 28 84	28.38
Nut coal 1/2"—1" (12·7 millimetres—25·4 mil	lı-	26.91
metres)	. 27.34	27.89
No. 2 coal	. 27.84	27.40
Slack coal 0"-1/2" (0 millimetre—12.7 millime and 0"-1" (0 millimetre— 25.4 millimetres)	ire	25.43

(2) Yellendu colliery

Type of coal	Price per ton of 2240 pounds.	Price per tonne of 1,000 kilograms
	Rs. np.	Rs. nP.
Round coal	27.84	27.40
Separator Nut coal	27·84	27.40
Nut coal 1/2"—1" (12·7 millimetres—25·4 millimetres)	26.34	25.92
Run of mine coal	27:34	26.91
No. 2 coal	26.84	26.42
Rough Slack o"—2" (o millimetre—50.8 millimetres)	26.84	26·42
metres) and		
o"—1" (o millimetre—25·4 millimetres	24.84	24·45

NOTE—The prices given under Table V are for delivery free on rail at or at the loading point nearest to the colliery or free on tramway or road vehicle at the colliery.

TABLE VI—Coke				
Name of steel plants and cokeries producing coke	Grade of coke	Price per ton of 2240 pounds	Price per tonne of 1,000 kilograms	
		Rs. nP.	Rs. nP.	
Bhilaí Steel Plant (Hindustan Steel Ltd.)	Hard Coke from Bye-product ovens [Large Rubble or Smithy over 1/2" (over 12.7 millimetres)].			
	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent	Not exceeding 59·17	Not exceeding 58.24	
	(ii) If the ash content does not exceed 24 per cent .	Not exceeding 66.57	Not exceeding 65.52	
	Coke Breeze under 1/2" (under 12·7 millimetres)	Not exceeding;	Not exceeding 10.92	
Rourkela Steel Plant (Hindustan Steel Ltd.)	Hard Coke from Bye-product Ovens [Large Rubble or Smithy over 1/2" (over 12·7 millimetres)]			
	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent.	Not exceeding 54.36	Not exceeding	
	(ii) If the ash content does not exceed 24 per cent.		Not exceeding 60.78	
	Coke Breeze under 1/2" (under 12-7 millimetres)		Not exceeding	
Durgapur Steel Plant (Hindustan Steel Ltd.) Durgapur Coke Oven Plant (West Bengal Gov-	Hard Coke from Bye-product Ovens [Large Rubble or Smithy over 1/2" (over 12.7 millimetres)].			
ernment).	If the ash content does not exceed 24 per cent	Not exceeding	Not exceeding	
	Coke Breeze under 1/2" (under 12·7 millimetres)	58.54 Not exceeding 9.76	Not exceeding 9.60	
Bye product ovens other than those mentioned above.	Hard Coke [Large Rubble or Smithy over 1/2" (over 12.7 millimetres)].			
,	(i) If the ash content exceeds 24 per cent but does not exceed 30 per cent.		Not exceeding	
	(ii) If the ash content does no exceed 24 per cent .		Not exceeding	
	Coke Breeze under 1/2" (under 12·7 millimetres)		Not exceeding 8.21	

Name of steel plants and cokeries producing coke		Grade of coke	Price per ton of 2240 pounds	Price per tonne of 1,000 Kilograms	
Bee-hive and Ovens.	Country	Hard Coke [Large Rubble or Smithy over 1/2" (over 12.7 millimetres)].		Rs. nP.	
		(i) If the ash content exceeds 24 per cent but does no exceed 30 per cent .	t	Not exceeding	
		(ii) If the ash content does not exceed 24 per cent. Coke Breeze under 1/2" (under 12.7 millimetres)	. Not exceeding 48·26	Not exceeding 47.50 Not exceeding 7.91	

Note.—The prices given under Table VI, above are for delivery free on rail at or at the loading point nearest to the cokery, or free on tramway or road vehicle at the cokery."

Explanation.—(i) The prices given in the above Tables from I to VI—

- (a) are exclusive of Stowing Excise Duty, Rescue Station Excise Duty, Soft Coke Cess Excise duty, Labour Welfare Cess Excise Duty, any tax leviable under the sales Tax law of any State or under the Central Sales Tax Act, 1956 (74 of 1956), and any other additional Excise Duty, Cess or impost which the Central Government may hereafter declare to be payable by consumers of coal, but inclusive of all other cesses or imposts;
- (b) are exclusive of *de credere* agents' margin permissible under clause 6 of the Colliery Control Order, 1945;
- (c) do not apply to retail sales of less than one ton of 2240 pounds, or less than 1 tonne of 1,000 kilograms as the case may be, on any one day for delivery by road; and
- (d) do not apply to overloaded weigh-bridge coal or coke;
- (ii) When delivery is free on rail, the weight charged for shall be the weight ascertained at a railway weigh-bridge and when delivery is free on tramway or road vehicle the weight shall be ascertained in such manner as may be prescribed by the Coal Controller; and
- (iii) the expressions 'tonne', 'millimetre' and 'kilometre' shall have the meanings respectively assigned to them in notification No. S.O. 290, dated the 30th January, 1959, as subsequently amended by notification No. S.O. 1035, dated the 20th April, 1959, of the Government of India in the Ministry of Commerce and Industry.

[No. C5-12(40)/60-I.]

S.O. 3198.—In pursuance of clause 4, of the Colliery Control Order 1945, as continued in force by section 16 of the Essential Commodities Act, 1955 (10 of 1955), and in supersession of the notification of the Government of India in the Ministry of Mines and Fuel No. S.O. 1718, dated the 1st June, 1962, the Central Government hereby fixes the following prices at which coal or coke over-loaded at any weighbridge may be sold by colliery owners, namely:—

Description	Price per ton of 2240 pounds	Price per tonne of 1,000 kilograms.
	Rs. nP.	Rs. nP.
(a) All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in West Bengal and Bihar other than at the Mahuda weigh-bridge	17*84	17.56

Description	Price per ton of 2240 lbs.	Price per tonne of 1,000 kilograms
	Rs. nP.	Rs. nP.
(b) All overloaded weigh-bridge coal or coke disposed of at the Mahuda Weigh-bridge		15.59
(c) Overloaded coal or coke of Bagrakote and Eas Bagrakote collieries in Darjeeling in Bengal	İ	29·69
 All overloaded weigh-bridge coal or coke dis- posed of at any railway weigh-bridge in the Sta tes of Madhya Pradesh, Orissa, Maharashtra and Gujerat 	-	20.70
 All overloaded weigh-bridge coal or coke disposed of at any railway weigh-bridge in Assam 		25.62
4. All overloaded weig 1-bridge coal or coke disposed of at any railway weigh-bridge in the State of Andhra Pradesh	26·28	25·86

Explanation.—The expression 'Overloaded weigh-bridge coal or coke' means all coal, bye-product and bee-hive hard coke or soft coke which is taken off any loaded wagon and stacked at the railway weigh-bridge for the purpose of adjusting the weight of wagons according to permissible axlc load.

Note.—The expression 'tonne' shall have the meaning assigned to it in notification No. S.O. 290, dated the 30th January, 1959, of the Government of India in the Ministry of Commerce and Industry.

[No. C5-12(40)/60-II.] CHHEDI LAL, Jt. Secy.